Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((point adj2 cloud) or point-cloud) and (monte adj2 carlo) and ((pseudo adj2 random) or (pseudo-random)) and (PCB or (printed adj circuit adj board))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 15:16
L2	0	("2002/0103555").URPN.	USPAT	OR	OFF	2005/06/17 15:17
L3	1416	((703/2) or (703/6) or (705/36) or (716/15)).CCLS.	USPAT	OR	OFF	2005/06/17 15:19
L4	88	3 and (monte adj carlo)	USPAT	OR	ON	2005/06/17 15:20
L5	1	4 and (point adj cloud)	USPAT	OR	ON	2005/06/17 15:20

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	53	(quasi adj2 monte adj2 carlo)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 15:40

Google API Proximity Search (GAPS)

From staggernation.com - Read Me - GAPS - GARBO - GAWSH

Find `point` within `1 ▼` word(s) of `cloud`   **Search**

`in that order ▼` `Sort by title ▼` Additional terms: `monte carlo PCB`

Show `All ▼` results, with up to `10 ▼` from each query ☐ Filter each query

License key
(optional)

If you have your own Google API license key, we would appreciate your entering it here. It will be used only for the searches you do with this script, and it will not be stored anywhere or used in any other way.

Found point within 1 word of cloud (+ monte carlo PCB).   First 12 results of about 20 from 2 queries.

AF - 470 Phase I Selections from the 04.1 Solicitation [distance: 0]
Another replaces the **point cloud** representation of object shape with a meshed
... A combination of real and **Monte Carlo**-simulated imagery from the SSI ...
http://www.dodsbir.net/selections/abs041/afabs041.htm - 513k - Cached - Similar pages

AR Pdf Version [distance: 0]
Sequential **Monte Carlo** tracking schemes for manoeuvering. targets with passive
ranging, ... **PCB** library, **PCB** layout, routing/autorouting design for EMC ...
http://www.cssip.edu.au/about/annualreports/2002/CSSIPAR.pdf - - Cached - Similar pages

BIBLIOGRAPHY OF URBAN CLIMATE 2000-2004 [distance: 0]
bulb temperature, dew **point, cloud** cover, atmospheric pressure and wind direction
... results are in good agreement with those performed by **Monte Carlo** ...
http://www.indiana.edu/~iauc/BIBLIOGRAPHY%20of%20URBAN%20CLIMATE%202000-4.pdf - - Cached - Similar pages

CAD-Portal.com: The Internet Resource for Engineering ... [distance: 0]
Additionally, users can apply standard **Monte Carlo** analysis to obtain sigma-quality
and reject ... Zuken adds to its free **PCB** design suite, CADSTAR Express. ...
http://www.cad-portal.com/articles/art_details.php?ID=2 - 72k - Cached - Similar pages

EE annual report.qxd [distance: 0]
Inference (estimation, decision, learning, **Monte Carlo** methods). ... translate raw
point cloud data obtained from a LIDAR system. into usable drawings. ...
http://ece.engr.uno.edu/ee_website/02-03report.pdf - - Cached - Similar pages

IDENTIFYING NONLINEAR VARIATION PATTERNS IN MULTIVARIATE ... [distance: 0]
manufacturing, the measurement data could represent **point cloud** data from a laser
scan ... In this section, **Monte Carlo** simulation is used to compare the ...
https://txspace.tamu.edu/bitstream/1969/1373/1/etd-tamu-2004C-2-INEN-Zhang.pdf - - Cached - Similar pages

Industry News Alert [distance: 0]
Reverse Engineering: A new toolbar includes **point cloud** manipulation such ...
significantly less computation time than a **Monte Carlo** run and provide a fast ...
http://cimdata.com/newsletter/2004/33/documents/Aug04CiS20.pdf - - Cached - Similar pages

Staff Research Outputs (1998-99) [distance: 0]
Experimental investigation of 355nm Nd:YAG laser ablation of RCC in **PCB**. ...
Mathematical furnace modeling by smoothing **Monte Carlo** Method, Proceedings of ...
http://www.ise.polyu.edu.hk/output&pub/output/output99.htm - 73k - Cached - Similar pages

Stochastic Simulation [distance: 1]
This can be done, as the **Monte Carlo** method is uniquely. variable independent.
... one **point. The cloud** resulting from stochastic simulation ...
http://www.saviac.org/Newsletters/Mar_2005/March%202005.pdf - - Cached - Similar pages

TechniCom eWeekly Issue 135, Dec. 2004 [distance: 0]

Google API Proximity Search (GAPS)

Find |point | within |1 ▼| word(s) of |cloud | [Search]

|in that order ▼| |Sort by title   ▼| Additional terms: |monte carlo |

Show |All ▼| results, with up to |10 ▼| from each query   ☐ Filter each query

License key
(optional)

If you have your own Google API license key, we would appreciate your entering it
here. It will be used only for the searches you do with this script, and it will not be
stored anywhere or used in any other way.

Found point within 1 word of cloud (+ monte carlo).   First 18 results of about 555 from 2 queries.

Monte Carlo Volume Rendering [distance: 0]
In this paper a novel volume-rendering technique based on **Monte Carlo** integration is
... As a result of a preprocessing, a **point cloud** of random samples is ...
http://www.iit.bme.hu/~cseb/Publications/Vis03/ - 4k - Cached - Similar pages

Monte Carlo Volume Rendering [distance: 0]
Figure 1: Perspective quasi-**Monte Carlo** volume rendering of an engine block using
... **point cloud** of random samples is generated using a normalized ...
http://www.iit.bme.hu/~cseb/Publications/Vis03/paper.pdf - - Cached - Similar pages

Monte Carlo Volume Rendering [distance: 0]
Figure 1: Perspective quasi-**Monte Carlo** volume rendering of an engine block using
... First the input volume is preprocessed and a **point cloud** of ...
http://doi.ieeecomputersociety.org/10.1109/VIS.2003.10000 - - Cached - Similar pages

Charged particle detection with the HSC [distance: 1]
... be explained by fine tuning the atomic model in the **Monte Carlo** simulation ... The diffusion
is a measure of the width of an initially **point-like cloud** of electrons ...
http://www.nikhef.nl/~i94/thesis/node17.html - 84k - Cached - Similar pages

Dispersion of mass by two-dimensional homogeneous and ... [distance: 1]
these by **Monte Carlo** simulations and compare with the physical arguments and ...
relationship of single particle dispersion and **point-source cloud** is ...
http://home.ku.edu.tr/~mcaglar/papers/dispersion_ApplMathMod_Caglar.pdf - - Cached - Similar pages

Inference of Cloud Optical Depth from Aircraft-Based Solar ... [distance: 1]
by a **Monte Carlo** algorithm injecting horizontally uniform distri- ... **point to**
cloud base all depend on z too. Figure 5b shows. s and as functions of z. ...
http://www.atmos.umd.edu/~zli/PDF_papers/jas02_cloud.pdf - - Cached - Similar pages

Inference of Cloud Optical Depth from Aircraft-Based Solar ... [distance: 1]
A 3D **Monte Carlo** photon transport algorithm employing cyclic horizontal boundary
... distance from photon injection **point to cloud** base all depend on z too. ...
http://ams.allenpress.com/amsonline/?request=get-document&doi=10.1175%2F1520-0469(2002)059%3C2093:IOCODF%
3E2.0.CO%3B2 - - Cached - Similar pages

Institut für Computergraphik und Algorithmen - Abteilung für ... [distance: 0]
Monte Carlo Volume Rendering ... As a result of a preprocessing, a **point cloud**
of random samples is generated using a normalized continuous reconstruction ...
http://www.cg.tuwien.ac.at/courses/Kolloquiumszyklus/Kollo_zyklus_SS04.html - 31k - Cached - Similar pages

Interactive Transfer Function Control for Monte Carlo Volume Rendering [distance: 0]
has a similar limitation, since the **point-cloud** also has to be recom- ... In this
paper **Monte Carlo** Volume Rendering (MCVR) has been op- ...
http://www.iit.bme.hu/~cseb/Publications/VolVis04/paper.pdf - - Cached - Similar pages

IEEE Xplore

Search Results BROWSE SEARCH IEEE XPLORE GUIDE SUPPORT

Results for "(((quasi <near/1> monte <near/1> carlo))<in>metadata)" e-mail printer friendly
Your search matched **0** of **1171917** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

» Key

Modify Search

(((quasi <near/1> monte <near/1> carlo))<in>metadata)

☐ Check to search only within this results set

| IEEE JNL | IEEE Journal or Magazine |

| IEE JNL | IEE Journal or Magazine |

Display Format: ⦿ Citation ○ Citation & Abstract

| IEEE CNF | IEEE Conference Proceeding |

| IEE CNF | IEE Conference Proceeding |

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

| IEEE STD | IEEE Standard |

Help Contact Us Privacy & Security IEEE.org

indexed by
Inspec

IEEE Xplore

Results for "(((point <near/1> cloud))<in>metadata)"   ✉ e-mail 🖨 printer friendly
Your search matched **95** of **1171917** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search   Modify Search

» **Key** | (((point <near/1> cloud))<in>metadata) | 🔳

                                ☐ Check to search only within this results set

IEEE JNL IEEE Journal or   Display Format: ◉ Citation   ○ Citation & Abstract
            Magazine

IEE JNL IEE Journal or
            Magazine

IEEE   IEEE Conference   Select   Article Information   View: **1-25** | 26-50 | 51-75 | 76-95
CNP   Proceeding

IEE CNP IEE Conference   ☐   **1. A Method to Track Cortical Surface Deformations Using a Laser Range Scanner**
            Proceeding   Sinha, T.K.; Dawant, B.M.; Duay, V.; Cash, D.M.; Weil, R.J.; Thompson, R.C.; Weaver, K.D.; Miga, M.I.;
IEEE   Medical Imaging, IEEE Transactions on
STD   IEEE Standard   Volume 24, Issue 6, June 2005 Page(s):767 - 781

                                     AbstractPlus | Full Text: PDF(4960 KB)   IEEE JNL

                                ☐   **2. First order error propagation of the Procrustes method for 3D attitude estimation**
                                     Dorst, L.;
                                     Pattern Analysis and Machine Intelligence, IEEE Transactions on
                                     Volume 27, Issue 2, Feb. 2005 Page(s):221 - 229

                                     AbstractPlus | Full Text: PDF(504 KB)   IEEE JNL

                                ☐   **3. Robust state estimation based on projection statistics [of power systems]**
                                     Mili, L.; Cheniae, M.G.; Vichare, N.S.; Rousseeuw, P.J.;
                                     Power Systems, IEEE Transactions on
                                     Volume 11, Issue 2, May 1996 Page(s):1118 - 1127

                                     AbstractPlus | References | Full Text: PDF(1168 KB)   IEEE JNL

                                ☐   **4. Robustification of the least absolute value estimator by means of projection statistics [power system state estimation]**
                                     Mili, L.; Cheniae, M.G.; Vichare, N.S.; Rousseeuw, P.J.;
                                     Power Systems, IEEE Transactions on
                                     Volume 11, Issue 1, Feb. 1996 Page(s):216 - 225

                                     AbstractPlus | Full Text: PDF(1020 KB)   IEEE JNL

                                ☐   **5. Range image segmentation into planar and quadric surfaces using an improved robust estimator and genetic algorithm**
                                     Gotardo, P.F.U.; Bellon, O.R.P.; Boyer, K.L.; Silva, L.;
                                     Systems, Man and Cybernetics, Part B, IEEE Transactions on
                                     Volume 34, Issue 6, Dec. 2004 Page(s):2303 - 2316

                                     AbstractPlus | References | Full Text: PDF(1512 KB)   IEEE JNL

                                ☐   **6. Scalar-function-driven editing on point set surfaces**
                                     Guo, X.; Hua, J.; Qin, H.;
                                     Computer Graphics and Applications, IEEE
                                     Volume 24, Issue 4, July-Aug. 2004 Page(s):43 - 52

                                     AbstractPlus | Full Text: PDF(992 KB)   IEEE JNL

                                ☐   **7. A simple approach for point-based object capturing and rendering**
                                     Sainz, M.; Pajarola, R.; Mercade, A.; Susin, A.;
                                     Computer Graphics and Applications, IEEE
                                     Volume 24, Issue 4, July-Aug. 2004 Page(s):24 - 33

                                     AbstractPlus | Full Text: PDF(1200 KB)   IEEE JNL

IEEE Xplore RELEASE 2.0

Results for "(((point <near/1> cloud) <and> (monte <near/1> carlo))<in>metadata)"   ✉ e-mail 🖨 printer friendly
Your search matched 1 of 1171917 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

» Key

Modify Search

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

(((point <near/1> cloud) <and> (monte <near/1> carlo))<in>metadata)   [»]

☐ Check to search only within this results set

Display Format: ⦿ Citation   ◯ Citation & Abstract

☐   1. **Monte Carlo volume rendering**
             Csebfalvi, B.; Szirmay-Kalos, L.;
             Visualization, 2003. VIS 2003. IEEE
             19-24 Oct. 2003 Page(s):449 - 456

          AbstractPlus | Full Text: PDF(639 KB)   IEEE CNF

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Published before January 2001
Terms used **quasi monte carlo pseudo random point cloud**

Found 3 of **112,590**

Sort results by [relevance ▼]
Display results [expanded form ▼]

◆ Save results to a Binder
❓ Search Tips
▢ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 3 of 3

Relevance scale ▢ ▢ ▨ ▨ ▨

1 Efficient and portable combined random number generators
P. L'Ecuyer
June 1988 **Communications of the ACM**, Volume 31 Issue 6

Full text available: 🖫 pdf(1.16 MB)   Additional Information: full citation, abstract, references, citings, index terms

In this paper we present an efficient way to combine two or more Multiplicative Linear Congruential Generators (MLCGs) and propose several new generators. The individual MLCGs, making up the proposed combined generators, satisfy stringent theoretical criteria for the quality of the sequence they produce (based on the Spectral Test) and are easy to implement in a portable way. The proposed simple combination method is new and produces a generator whose period is the least common multiple of ...

2 Graphics and managerial decision making: research-based guidelines
S. L. Jarvenpaa, G. W. Dickson
June 1988 **Communications of the ACM**, Volume 31 Issue 6

Full text available: 🖫 pdf(1.44 MB)   Additional Information: full citation, abstract, references, citings, index terms

Graphical charts are generally thought to be a superior reporting technique compared to more traditional tabular representations in organizational decision making. The experimental literature, however, demonstrates only partial support for this hypothesis. To identify the characteristics of the situations that have been shown to benefit from the use of graphics, existing studies are reviewed in terms of the type of task used, the format employed, and the user experience. The examination of ...

3 IFIP Congress-62, Munich, Germany, August 27-September 1, 1962: Abstracts of papers
June 1962 **Communications of the ACM**, Volume 5 Issue 6

Full text available: 🖫 pdf(1.35 MB)   Additional Information: full citation

Results 1 - 3 of 3